

## Real Machine vs Virtual Machine\*




\*The 3D model machine shown was customized for a customer.

**THIS IS NOT JUST A SIMULATOR,**  
It is an integrated software package that includes:

1. Realistic CNC machine simulator. Setup, program and operate various CNC machines in a virtual safe environment.
2. G-Code parser and debugger with advanced features like canned cycles and macros.
3. Server module to manage student's access to the system, provide remote assistance and administer tests.

## Real panel vs Virtual Panel

## 3D Milling and Lathe simulation in one package



## Main Features:

- Support for 2,2.5 and 3 axis CNC machines
- Contains 65 systems and 119 control panels (more being added)
- Rendering using OpenGL for fast and accurate 3D modeling
- Realtime dynamic rotation, zooming, panning and switch views
- G-code parser with code validation supports G-codes and M-codes
- G-code debugging tool
- Capability to simulate canned cycles, macros and the inclusion of parameters
- Fanuc, Siemens polar coordinate programming, G02, G03 spiral interpolation
- Support for custom codes and cycles in different NC systems
- Simulates post-processed files from UGS, Pro-E and masterCAM
- Materials library, edit and insert new materials
- Workpiece setting and mounting
- Database management tools and tools customization
- Turret can be configured for 4, 8, 12 tools. The ATC can be horizontal/vertical
- Measuring tools: edge finger, feeler gauge, micrometers, calipers, ect..
- Roughness measurements based on cutting parameters
- Machine simulation includes like coolant, sound for machining operations and chips generation
- Automatic updates online
- Operation process recording and reply in AVI format
- And much, much more...


Works with the most popular control panels




# 3D CNC Virtual machine and G-Code Simulator



More than 100 operator panels




Program validation and G-code debugger



Multiple 3D model machines

```

M03 S500
M06 T01
#1=0
#2=0
G0 Z15
X150 Y0
N11
#2=30*SIN[#1]
#3=30+30*[1-COS[#1]]
G01 Z=#2 F40
G41 X=#3 D01
G03 I=#3
G40 G01 X150 Y0
#1=#1+1
IF [#1 LE 90] GOTO 11
G0 Z30
M30
    
```







Support for variables and parameters used to program macros

G00	G27	G70	G87
G01	G28	G71	G88
G02	G29	G72	G89
G03	G30	G73	G90
G04	G32	G74	G92
G09	G40	G75	G94
G20	G41	G76	G96
G21	G42	G80	G97
G22	G50	G83	G98
G23	G52	G84	G99

G-Codes supported: Lathe


G00	G28	G54	*G80	G89
G01	G30	G55	G81	*C90
G02	*G40	G56	G82	G91
G03	G41	G57	G83	G92
G04	G42	G58	G84	*C98
G15	*G43	G59	G85	*C99
G16				
G17	*G44	G73	G86	G50
				G51
G18	G49	G74	G87	G68
				G69
G19	*G53	G76	G88	

G-Codes supported: Milling



Cutting path (2D) and 3D simulation for Lathe and Milling

# CNC Virtual Machine and G-Code Simulator





Tool Magazine Management

No.	Type	Length	Diameter	Width	Insert B.	Insert T.	Nose	Insert Mat.
001	External...	160.000	--	30.000	12.000	3.000	--	High-spee...
002	External...	160.000	--	30.000	12.000	3.000	--	High-spee...
003	Grooving	160.000	--	30.000	12.000	3.000	--	High-spee...
004	Boring	160.000	--	20.000	12.000	3.000	--	High-spee...
005	Threading	160.000	--	30.000	3.000	3.000	--	High-spee...
006	External...	160.000	--	30.000	4.000	3.000	1.000	High-spee...
007	External...	160.000	--	30.000	12.000	3.000	--	High-spee...
008	Drill	160.000	20.000	--	--	--	--	High-spee...
009	Internal...	160.000	--	12.000	2.000	2.000	--	High-spee...
010	Internal...	160.000	--	10.000	6.000	3.000	--	High-spee...

Management: Add, Delete, Edit, Save


Tool Magazine: No., Tool NO.

Buttons: Add to tool turret, Select Tool, Load Tool Information, Mount Tool, Remove, OK, Cancel





Extensive tool management capabilities for Milling and Lathe


Real time dynamic zooming and panning



Optical Edge Finder and Z-Axis gauge



Workpiece and clamping configuration



Workpiece dimensions and roughness measurements

# Server Features

When the software is installed on a local network in a server-client configuration it provides the instructor with the capability of managing students, classes and tests

## 1. Users management

Students are registered with an username and password. Once the student log in from any computer in a local network the instructor can centrally manage, monitor and tutow the students.

## 2. Exercises management

Add and edit exercises into server. Transmit exercises including pictures to client. Get answers from the clients.

## 3. Network Monitor



Querry students and control login, logoff and machine operations. Broadcast screen information to the students and remotely assist them via remote view and cintrol of client PC.

## 4. Examination subsystem

Question library maganement, test paper management, the test process management as well as the examination paper automatic marking.

## 5. Test Administration subsystem


Test data management, exam permit management and test results management.



User monitoring and management capabilities

# Hardware and Software Requirements

- Runs on Windows Enviroment - 2000, XP, Vista, Win 7
- LAN network required to use the server fuctionality
- Processor 1.0 GHz minimum, 1.5 GB recommended
- 600 MB of hard disk space for program installation
- VGA graphics card capable of 1024x768 resolution, recommended suport for OpenGL
- Multilingual Software - Portugese, English, Chinese, Turkish, Korean and polish.



Exercise management

# Customization\*

The panels and systems can be cistomized according to your needs. Most of the time the only thing that is required are some pictures and the panel`s manual. Also has tha ability to model the 3D machine (the machine with which you have) so that along with the control, the result is as real as possible. New systems and panels are being added constantly and updates are free of charge.

CNC Training Centre  
 162 Rangeview Road, Apex, Benoni  
 011 420 2909      082 490 3506

